

GenieMat[®] FFo3NP

ROLL-OUT SOUND CONTROL UNDERLAYMENT



PRODUCT SPECIFICATIONS

PRODUCT NAME:	GenieMat FFo3NP
DESCRIPTION:	Robust reduced sound transmission mat made from up to 94% recycled material used when superior sound control is required in multi-family housing, high-rises, or commercial buildings.
APPLICATION:	Flat, resilient underlayment that is used directly under cementitious topping or various floor finishes such as vinyl, porcelain tile and wood or used directly under gypsum concrete in concrete, steel and wood construction.
FEATURES AND BENEFITS:	• Significantly reduces impact sound • Mold, bacteria, fungi, and water resistant • Qualifies for LEED[®] points • Easy to install and rolls out quickly • Maintains performance under load
DIMENSION:	Roll: 4' wide, 40' long (nom. 1.22 m wide, nom. 12.19 m long)
THICKNESS:	1/8" (nom. 3 mm)
WEIGHT:	82 lb/Roll (37.2 kg/Roll)
AREA:	160 ft ² (14.86 m ²)
DENSITY:	Shall be > 45 lb/ft ³ (721 kg/m ³)
QUANTITY/PALLET:	20

GenieMat[®] FFo3NP

ROLL-OUT SOUND CONTROL UNDERLAYMENT



TECHNICAL DATA

REDUCTION OF IMPACT SOUND
PRESSURE LEVEL (ΔL_w) (ISO 717-2): ΔL_w 24dB

TYPE A HARDNESS (ASTM D2240): 30 (± 5) Durometer

DYNAMIC STIFFNESS (ASTM D5992,
ISO 4664-1): 5221 lbf/in³ (1417 MN/m³)

STATIC STIFFNESS (ASTM D5992,
ISO 4664-1): 810 lbf/in³ (220 MN/m³)

DYNAMIC-STATIC STIFFNESS
RATIO (ASTM D5992, ISO 4664-1): 6.44

TEMPERATURE STABILITY: -40°F to +240°F (-40°C to +115°C)

AROUND THE WORLD.

PLITEQ NORTH AMERICA

131 Royal Group Crescent
Vaughan, ON
L4H 1X9 Canada

4211, Yonge Street,
Suite 404, Toronto, ON M2P
2A9 Canada

2015 Main St,
Vancouver, BC
V5T 3C2 Canada

251 Little Falls Drive
Wilmington, DE
19808
United States of America
11701 N. 132nd Drive
Surprise, AZ
85379
United States of America

Calz. Gral. Mariano Escobedo
476-piso 12 Chapultepec
Morales, Anzures,
Miguel Hidalgo, 11590
Ciudad de México, CDMX
Mexico

T.+1 416 449 0049
T.+1 480 805 5560
T.+52 1 938 164 1551
info@pliteqacoustics.com
www.pliteqacoustics.com

PLITEQ UNITED KINGDOM

Office 205, Orega High
Holborn, 16 High Holborn,
London, WC1V 6BX
United Kingdom

T.+44 203 9846444
info@pliteqacoustics.com
www.pliteqacoustics.com/uk

PLITEQ MIDDLE EAST

European Business Centre
Dubai Investment Park
PO Box 473 512
United Arab Emirates

T. +971 4 567 4944
info@pliteqacoustics.com
www.pliteqacoustics.com/ae

PLITEQ ASIA PACIFIC

78 Shenton Way Tower 2,
6th Floor, Office Suite 25
079120, Singapore

T.+65 6813 2017
info@pliteqacoustics.com
www.pliteqacoustics.com/sg

PLITEQ AUSTRALIA

72 York Street, South
Melbourne, VIC, 3205
Australia

T.+61 3 9018 7696
info@pliteqacoustics.com
www.pliteqacoustics.com/au

